

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
-	1	09/832323	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:05
-	0	("6236978" "5910986" "6636889" "6732148" "6248946" "6300947" "6311194" "6393477" "6405252" "6414677" "6466975" "6477575" "6615251" "6393420" "6442529" "6549896" "6701316" "6253193" "6363488" "6389402" "6427140" "6473851" "6505171" "6418448" "6115718" "6446035" "6006197" "6449739" "6477483" "6546389" "6560564" "6564342" "6641037" "6687691" "6694303" "6738933" "6748420" "6662195" "6671715" "6694316" "6741980" "6073175" "6173322" "6175830" "6134532" "6389458" "6714928" "5842211" "6144988" "6074299").pn. and connection same server same transaction and pars\$3 with content and transaction same content same required same rule	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:11
-	4	("6236978" "5910986" "6636889" "6732148" "6248946" "6300947" "6311194" "6393477" "6405252" "6414677" "6466975" "6477575" "6615251" "6393420" "6442529" "6549896" "6701316" "6253193" "6363488" "6389402" "6427140" "6473851" "6505171" "6418448" "6115718" "6446035" "6006197" "6449739" "6477483" "6546389" "6560564" "6564342" "6641037" "6687691" "6694303" "6738933" "6748420" "6662195" "6671715" "6694316" "6741980" "6073175" "6173322" "6175830" "6134532" "6389458" "6714928" "5842211" "6144988" "6074299").pn. and connection same server same transaction and pars\$3 with content and transaction same content same required same rule	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:10
-	0	("6236978" "5910986" "6636889" "6732148" "6248946" "6300947" "6311194" "6393477" "6405252" "6414677" "6466975" "6477575" "6615251" "6393420" "6442529" "6549896" "6701316" "6253193" "6363488" "6389402" "6427140" "6473851" "6505171" "6418448" "6115718" "6446035" "6006197" "6449739" "6477483" "6546389" "6560564" "6564342" "6641037" "6687691" "6694303" "6738933" "6748420" "6662195" "6671715" "6694316" "6741980" "6073175" "6173322" "6175830" "6134532" "6389458" "6714928" "5842211" "6144988" "6074299").pn. and transaction same content same required same rule	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:11

-	0	709/205 and connection same server same transaction and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:13
-	0	709/203 and connection same server same transaction and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:13
-	0	709/217 and connection same server same transaction and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:13
-	0	709/219 and connection same server same transaction and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:14
-	0	709/202 and connection same server same transaction and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:14
-	0	709/204 and connection same server same transaction and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:14
-	0	709/227 and connection same server same transaction and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:14
-	0	709/206 and connection same server same transaction and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:15
-	0	709/\$ and connection same server same transaction and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:15
-	0	709/\$ and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:16

-	0	707/10 and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:16
-	0	707/102 and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:16
-	0	707/104.1 and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:17
-	0	707/2 and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:17
-	0	707/3 and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:17
-	0	707/6 and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:17
-	0	707/9 and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:17
-	0	707/\$ and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:18
-	0	705/26 and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:18
-	0	705/\$ and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:19

-	0	713/201 and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:19
-	0	713/\$ and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:19
-	0	715/513 and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:20
-	0	715/\$ and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:20
-	0	706/47 and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:20
-	0	706/\$ and connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:21
-	0	connection near3 persistent and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:21
-	0	pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:21
-	0	connection near3 persistent and pars\$3 same content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:21
-	26	connection and pars\$3 same content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:22

-	0	connection with persistent and pars\$3 same content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:22
-	0	connection and pars\$3 with content and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:22
-	22	connection and pars\$3 same transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:23
-	0	connection same pars\$3 same transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:23
-	22	pars\$3 same transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:24
-	0	pars\$3 same page same transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO;	2004/09/29 12:24
-	5	pars\$3 same page and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:38
-	10	(pars\$3 separat\$3 separat\$3) same content same page and transaction same content same required same (validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:39
-	7	(pars\$3 separat\$3 separat\$3) same content same page and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:40
-	1	(pars\$3 separat\$3 separat\$3) with content same page and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:41

-	1	(pars\$3 separat\$3 seperat\$3) with content same page and transaction same content same required same rule and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:40
-	0	(pars\$3 separat\$3 seperat\$3) near3 content same transaction same content same required same (validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:42
-	42	(pars\$3 separat\$3 seperat\$3) near3 content and transaction same content same required same (validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:42
-	42	(pars\$3 separat\$3 seperat\$3) near3 content and page and transaction same content same required same (validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:43
-	2	(pars\$3 separat\$3 seperat\$3) near3 content same page and transaction same content same required same (validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:43
-	2	(pars\$3 separat\$3 seperat\$3) near3 content and page same transaction same content same required same (validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:45
-	0	(pars\$3 separat\$3 seperat\$3) near3 content same transaction and transaction same content same required same (validat\$3 rule) and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:45
-	0	(pars\$3 separat\$3 seperat\$3) near3 content with transaction and transaction same content same required same (validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:45
-	0	(pars\$3 separat\$3 seperat\$3) near3 content near3 transaction and transaction same content same required same (validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:46
-	5	(pars\$3 separat\$3 seperat\$3) near3 content near3 transaction and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:47

-	0	(pars\$3 separat\$3 separat\$3) near3 content near3 transaction same page and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:47
-	1	(pars\$3 separat\$3 separat\$3) near3 content same transaction same page and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:49
-	4	(pars\$3 separat\$3 separat\$3) with content same transaction same page and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:49
-	1	(pars\$3 separat\$3 separat\$3) with content with (static transaction dynamic) same page and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:50
-	44	(pars\$3 separat\$3 separat\$3) with content with (static transaction dynamic) and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:54
-	4	(pars\$3 separat\$3 separat\$3) with content with (static transaction dynamic) same transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:53
-	9	709/\$ and (pars\$3 separat\$3 separat\$3) with content with (static transaction dynamic) and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:52
-	18	713/\$ and (pars\$3 separat\$3 separat\$3) with content with (static transaction dynamic) and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:52
-	1	714/\$ and (pars\$3 separat\$3 separat\$3) with content with (static transaction dynamic) and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:53
-	3	715/\$ and (pars\$3 separat\$3 separat\$3) with content with (static transaction dynamic) and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:53



-	26	705/\$ and (pars\$3 separat\$3 seperat\$3) with content with (static transaction dynamic) and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:53
-	1	706/\$ and (pars\$3 separat\$3 seperat\$3) with content with (static transaction dynamic) and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:53
-	9	707/\$ and (pars\$3 separat\$3 seperat\$3) with content with (static transaction dynamic) and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:54
-	2	707/\$ and (pars\$3 separat\$3 seperat\$3) near3 content near3 (static transaction dynamic) and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:54
-	5	(pars\$3 separat\$3 seperat\$3) near3 content near3 (static transaction dynamic) and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 12:55
-	0	pars\$3 near3 content near3 (static transaction dynamic) and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:13
-	4	pars\$3 with content with (static transaction dynamic) and transaction same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:04
-	18	pars\$3 near3 content near3 (static transaction dynamic) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:06
-	12	709/\$ and pars\$3 near3 content near3 (static transaction dynamic) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:06
-	0	709/\$ and pars\$3 near3 content near3 transaction and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:07

-	1	709/\$ and pars\$3 with content near3 transaction and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:07
-	4	709/\$ and pars\$3 with content with transaction and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:07
-	3	pars\$3 near3 content near3 transaction and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:10
-	4	pars\$3 with content near3 transaction and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:10
-	13	pars\$3 with content with transaction and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:13
-	15	electronic near3 transaction\$2 near3 content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO;	2004/09/29 13:26
-	37	electronic near3 transaction\$2 same content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:27
-	15	(parse parses parsed parsing parser) and electronic near3 transaction\$2 same content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:30
-	9	(parse parses parsed parsing parser) same (page content) and electronic near3 transaction\$2 same content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:32
-	0	(parse parses parsed parsing parser) with (page content) and electronic near3 transaction\$2 same content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:33

-	53	(parse parses parsed parsing parser) with (page content) and transaction\$2 same content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:34
-	1	(parse parses parsed parsing parser) with page with (static dynamic transaction\$2 content) and transaction\$2 with content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:34
-	1	(parse parses parsed parsing parser) with page with (static dynamic transaction\$2 content) and transaction\$2 same content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:42
-	2	(pars\$3 separat\$4) with page with (static dynamic transaction\$2 content) and transaction\$2 same content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:42
-	0	(pars\$3 separat\$4) with page with (static dynamic transaction\$2 content) and transaction\$2 with content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:42
-	5	(pars\$3 separat\$4) with page with (static dynamic transaction\$2 content) and transaction\$2 same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO;	2004/09/29 13:54
-	91	(pars\$3 separat\$4) same page same (static dynamic transaction\$2 content) and transaction\$2 same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:55
-	126	(pars\$3 separat\$4) with (page file) same (static dynamic transaction\$2 content) and transaction\$2 same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:56
-	2	(pars\$3 separat\$4) with (page file) same transaction\$2 same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:57
-	230	(pars\$3 separat\$4) with (page file) and transaction\$2 same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:57

-	118	(pars\$3 separat\$4) with (page file) with (data media content) and transaction\$2 same content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:58
-	62	(pars\$3 separat\$4) with (page file) with (data media content) and transaction\$2 same content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:59
-	61	(pars\$3 separat\$4) with (page file) with (data media content) and transaction\$2 with content same (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:59
-	47	(pars\$3 separat\$4) with (page file) with (data media content) and transaction\$2 with content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 13:59
-	4	pars\$3 with (page file) with (data media content) and transaction\$2 with content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:00
-	2	(pars\$3 separat\$4) with (page file) with (data media content) with transaction\$2 and transaction\$2 with content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO;	2004/09/29 14:01
-	3	(pars\$3 separat\$4) with (page file) with (data media content) with (procurement procure purchas\$3 transaction\$2) and transaction\$2 with content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:03
-	3	(pars\$3 separat\$4) with (page file) with (data media content) with (procurement procure purchas\$3 transaction\$2) and (procurement procure purchas\$3 transaction\$2) with content with (required validat\$3 rule) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:07
-	0	(pars\$3 separat\$4) with (page file) with (data media content) with (procurement procure purchas\$3 transaction\$2) and (procurement procure purchas\$3 transaction\$2) with content with (required validat\$3 rule) and (procurement procure purchas\$3 transaction\$2) with display and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:07
-	2	(pars\$3 separat\$4) with (page file) with (data media content) with (procurement procure purchas\$3 transaction\$2) and (procurement procure purchas\$3 transaction\$2) with content with (required validat\$3 rule) and (procurement procure purchas\$3 transaction\$2) with (display gui interface) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:13

-	397	(pars\$3 separat\$4) same (page file) same (data media content) same (procurement procure purchas\$3 transaction\$2) and (procurement procure purchas\$3 transaction\$2) same (data media content) same (required validat\$3 rule) and (procurement procure purchas\$3 transaction\$2) same (display gui interface) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:09
-	113	709/\$ and (pars\$3 separat\$4) same (page file) same (data media content) same (procurement procure purchas\$3 transaction\$2) and (procurement procure purchas\$3 transaction\$2) same (data media content) same (required validat\$3 rule) and (procurement procure purchas\$3 transaction\$2) same (display gui interface) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:10
-	106	707/\$ and (pars\$3 separat\$4) same (page file) same (data media content) same (procurement procure purchas\$3 transaction\$2) and (procurement procure purchas\$3 transaction\$2) same (data media content) same (required validat\$3 rule) and (procurement procure purchas\$3 transaction\$2) same (display gui interface) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:10
-	45	345/\$ and (pars\$3 separat\$4) same (page file) same (data media content) same (procurement procure purchas\$3 transaction\$2) and (procurement procure purchas\$3 transaction\$2) same (data media content) same (required validat\$3 rule) and (procurement procure purchas\$3 transaction\$2) same (display gui interface) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:10
-	16	715/\$ and (pars\$3 separat\$4) same (page file) same (data media content) same (procurement procure purchas\$3 transaction\$2) and (procurement procure purchas\$3 transaction\$2) same (data media content) same (required validat\$3 rule) and (procurement procure purchas\$3 transaction\$2) same (display gui interface) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:11
-	146	(pars\$3 separat\$4) with (page file) with (data media content) same (procurement procure purchas\$3 transaction\$2) and (procurement procure purchas\$3 transaction\$2) same (data media content) same (required validat\$3 rule) and (procurement procure purchas\$3 transaction\$2) same (display gui interface) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:12
-	83	(pars\$3 separat\$4) with (page file) with (data media content) with (procurement procure purchas\$3 transaction\$2) and (procurement procure purchas\$3 transaction\$2) same (data media content) same (required validat\$3 rule) and (procurement procure purchas\$3 transaction\$2) same (display gui interface) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:12

-	74	(pars\$3 separat\$4) with (page file) with (data media content) with (procurement procure purchas\$3 transaction\$2) and (procurement procure purchas\$3 transaction\$2) same (data media content) same (required validat\$3 rule) and (procurement procure purchas\$3 transaction\$2) with (display gui interface) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:14
-	84	(pars\$3 separat\$4) with (page file) with (data media content) with (procurement procure purchas\$3 transaction\$2) and ((procurement procure purchas\$3 transaction\$2) (data media content)) with (required validat\$3 rule) and (procurement procure purchas\$3 transaction\$2) with (display gui interface) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:14
-	4	(pars\$3 separat\$4) with (page file) with (data media content) with (procurement procure purchas\$3 transaction\$2) and (procurement procure purchas\$3 transaction\$2) same (data media content) same required same (validat\$3 rule) and (procurement procure purchas\$3 transaction\$2) with (display gui interface) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:16
-	1	(pars\$3 separat\$4) with (page file) with content with (procurement procure purchas\$3 transaction\$2) and (procurement procure purchas\$3 transaction\$2) same content same required same (validat\$3 rule) and (procurement procure purchas\$3 transaction\$2) with (display gui interface) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:32
-	259	electronic same transaction\$2 same required same complet\$3 and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:33
-	22	rule same electronic same transaction\$2 same required same complet\$3 and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:39
-	0	rule same electronic same transaction\$2 same required near field same complet\$3 and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:39
-	0	rule same electronic same transaction\$2 same required near2 field same complet\$3 and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:39
-	43	electronic same transaction\$2 and rule same required near2 field and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:40

-	40	electronic same transaction\$2 and (pars\$4 separat\$4) near3 (page file content) and rule same required near2 field and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:41
-	1	(browser display gui interface) same electronic same transaction\$2 and (pars\$4 separat\$4) near3 (page file content) and rule same required near2 field and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:43
-	40	(browser display gui interface) and electronic same transaction\$2 and (pars\$4 separat\$4) near3 (page file content) and rule same required near2 field and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:43
-	40	(browser display gui interface) same transaction\$2 and (pars\$4 separat\$4) near3 (page file content) and rule same required near2 field and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:46
-	39	(browser display gui interface) same transaction\$2 and (pars\$4 separat\$4) near3 (page file content) and rule same required near2 field and cach\$3 and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:47
-	40	(browser display gui interface) same (purchas\$3 procurement procure order\$3 transaction\$2) and (pars\$4 separat\$4) near3 (page file content) and rule same required near2 field and cach\$3 and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO;	2004/09/29 14:50
-	2	same required near2 field and cach\$3 and (@ad<20000410 @rlad<20000410) (browser display gui interface) same (purchas\$3 procurement procure order\$3 transaction\$2) and (pars\$4 separat\$4) near3 (page file content) same (purchas\$3 procurement procure order\$3 transaction\$2) and rule same required near2 field and cach\$3 and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:48
-	0	(browser display gui interface) same (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near3 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required near2 field and cach\$3 and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:48
-	0	(browser display gui interface) and (pars\$4 separat\$4) near3 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required near2 field and cach\$3 and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:49
-	0	(browser display gui interface) and (pars\$4 separat\$4) with (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required near2 field and cach\$3 and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:49

-	8	(browser display gui interface) and (pars\$4 separat\$4) same (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required near2 field and cach\$3 and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:49
-	39	(browser display gui interface) same (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near3 (page file content) and rule same required near2 field and cach\$3 and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:50
-	31	709/\$ and (browser display gui interface) same (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required near2 field and cach\$3 and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:52
-	31	709/\$ and (browser display gui interface) same (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required near2 field and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:51
-	31	709/\$ and (browser display gui interface) same (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required near2 field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:52
-	31	709/\$ and (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required near2 field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO;	2004/09/29 14:54
-	38	same required near2 field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410) (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required near2 field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:55
-	39	(browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required near2 field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 14:57
-	0	(browser display gui interface) and (purchas\$3 procurement procure transaction\$2) same (pars\$4 separat\$4) near5 (page file content) and rule same required near2 field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:24
-	21	709/219 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:25



-	8	709/227 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:25
-	1	705/64 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:26
-	0	705/75 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:26
-	4	705/39 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:26
-	1	707/7 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:26
-	17	707/2 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:26
-	24	707/10 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:26
-	23	707/102 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:26
-	0	345/748 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:27
-	0	345/760 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:27

-	3	345/762 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:27
-	0	715/513 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:27
-	0	902/40 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:28
-	0	902/\$ and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:28
-	24	709/203 and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:28
-	41	709/\$ and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:29
-	47	705/\$ and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:28
-	38	707/\$ and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:28
-	1	715/\$ and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:28
-	22	345/\$ and (browser display gui interface) and (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 18:04

-	37	707/\$ and (browser display gui interface) same (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:29
-	47	705/\$ and (browser display gui interface) same (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:29
-	1	715/\$ and (browser display gui interface) same (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:29
-	40	709/\$ and (browser display gui interface) same (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:33
-	21	345/\$ and (browser display gui interface) same (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:30
-	0	902/\$ and (browser display gui interface) same (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:30
-	34	709/\$ and (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:34
-	34	709/\$ and (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule same required same field and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:34
-	68	709/\$ and (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule with required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:34
-	33	709/\$ and (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) and rule with required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:35

-	4	709/\$ and (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:36
-	4	709/\$ and (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and (pars\$4 separat\$4) near5 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule with required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:35
-	0	709/\$ and (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and pars\$4 near5 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:37
-	0	707/\$ and (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and pars\$4 near5 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:37
-	0	705/\$ and (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and pars\$4 near5 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:37
-	0	715/\$ and (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and pars\$4 near5 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:37
-	0	345/\$ and (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and pars\$4 near5 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:37
-	0	902/\$ and (browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and pars\$4 near5 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:37
-	0	(browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and pars\$4 near5 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:41

-	0	(browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and pars\$4 with (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:39
-	21	(browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and pars\$4 same (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:39
-	3	(browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and separat\$4 near2 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:48
-	4	(browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and separat\$4 near4 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and cach\$3 near3 (page file content) and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:50
-	5	(browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and pars\$4 near4 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:50
-	29	(browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and separat\$4 near4 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 15:51
-	8	(browser display gui interface) with (purchas\$3 procurement procure transaction\$2) and separat\$4 near2 (page file content) same (purchas\$3 procurement procure transaction\$2) and rule same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 16:01
-	13	(browser display gui interface) with (purchas\$3 procurement procure transact\$5) and (separat\$2 pars\$4) near2 (page file content) same (purchas\$3 procurement procure transaction\$5) and rule same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 16:32
-	2	(browser display gui interface) with (purchas\$3 procurement procure transact\$5) and (separat\$2 pars\$4) near2 (page file content) with (purchas\$3 procurement procure transaction\$5) and rule same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 16:43

-	9	(browser display gui interface) with (purchas\$3 procurement procure transact\$5) and (separat\$2 pars\$4) near2 (page file content) with (purchas\$3 procurement procure transaction\$5) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 16:44
-	10	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) and (separat\$2 pars\$4) near2 (page file content) with (purchas\$3 procurement procure transaction\$5) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 16:48
-	12	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) and (separat\$2 pars\$4) near3 (page file content) with (purchas\$3 procurement procure transaction\$5) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 16:48
-	18	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) and (separat\$2 pars\$4) near2 (page file content) with (purchas\$3 procurement procure transaction\$5) and (rule validat\$3) same required and (@ad>20000410 @rlad>20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 16:54
-	12	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) and pars\$4 near4 (page file content) with (purchas\$3 procurement procure transaction\$5) and (rule validat\$3) same required and (@ad>20000410 @rlad>20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 16:56
-	39	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) and pars\$4 near4 (page file content) same (purchas\$3 procurement procure transaction\$5) and (static audio video sound) and (rule validat\$3) same required and (@ad>20000410 @rlad>20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 16:57
-	5	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) and pars\$4 near4 (page file content) same ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad>20000410 @rlad>20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 16:59
-	0	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) and pars\$4 near4 (page file content) with ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad>20000410 @rlad>20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 17:04
-	1	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) and pars\$4 near4 (page file content) with ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad>20000410 @rlad>20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 16:59

-	1	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) and pars\$4 near4 (page file content) with ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 16:59
-	6	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) and pars\$4 near4 (page file content) same ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 17:00
-	4	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) and pars\$4 near4 (page file content) same ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 17:04
-	0	tunnel\$3 and (browser display gui interface) same (purchas\$3 procurement procure transact\$5) and pars\$4 near4 (page file content) same ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 17:04
-	0	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) and separat\$4 near4 (page file content) with ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 17:06
-	20	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) and separat\$4 near4 (page file content) same ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 18:32
-	0	bluestreak.as. and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 18:05
-	5	bluestreak.as.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 18:05
-	20	(browser display gui interface) same (purchas\$3 procurement procure transact\$5) same page and separat\$4 near4 (page file content) same ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 18:33

-	20	(browser display gui interface) with (purchas\$3 procurement procure transact\$5) with page and separat\$4 near4 (page file content) same ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 18:34
-	3	(browser display gui interface) with (purchas\$3 procurement procure transact\$5) with page near3 (web server) and separat\$4 near4 (page file content) same ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 18:35
-	3	(browser display gui interface) with page near3 (web server) same (purchas\$3 procurement procure transact\$5) and separat\$4 near4 (page file content) same ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 18:36
-	3	page near3 (web server) with (electronic transact\$5) and (browser display gui interface) with page near3 (web server) same (purchas\$3 procurement procure transact\$5) and separat\$4 near4 (page file content) same ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 18:37
-	3	page near3 (web server) with (purchas\$3 procurement procure electronic transact\$5) and (browser display gui interface) with page near3 (web server) same (purchas\$3 procurement procure transact\$5) and pars\$4 near4 (page file content) same ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 18:38
-	3	page near3 (web server) with (purchas\$3 procurement procure electronic transact\$5) and (browser display gui interface) with page near3 (web server) same (purchas\$3 procurement procure transact\$5) and separat\$4 near4 (page file content) same ((purchas\$3 procurement procure transaction\$5) and (static audio video sound)) and (rule validat\$3) same required and (@ad<20000410 @rlad<20000410)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/29 18:40